

1. Double Arm blowing machine



2. Infrared oven (to heat the perform)



All machines characteristics and structures are subject to change without notice.

3. moulds



4. air compressor-high pressure
 (to produce the high pressure air to blow the perform in the mould)



All machines characteristics and structures are subject to change without notice.

5. Compressor groupware

(to deal the pressured air clean, dry etc, it is necessary for guarantee the blow quality)

空气净化组合机



型号	TCBHZ-3.0/30	TCBHZ-4.0/30	TCB
处理量	3.0m ³ /min	3.0m ³ /min	4.0m ³
工作压力	3.0Mpa	4.0Mpa	3.0
压缩机功率	11HP	1.5HP	0.7
储气罐容积	0.6 m ³	0.6m ³	0.1
外形尺寸 cm	165×150×200	170×155×200	160×
重量 kg	1200	1250	1
成品气品质	常压露点-23°C 固体<0.1um		

配置清单: 标准冷干机1台,后置冷却器1台,精密过滤器1只,电子水

6. air compressor-low pressure

(to produce the lower pressure air to run the relevant parts in the blowing machine, for its operation)



产品名称: CR-2.0/10

详细说明: 详细型号: CR-2.0/10
电机功率: 15/22 kw/hp
转速: 900 r/min
排气量: 2.0 m³/min
工作压力: 1.0mpa
储气罐: 0.31 m³
包装尺寸: 1000×1000×1200mm
总重量: 120 kg

产品名称: CR-3.0/10

详细说明: 详细型号: CR-3.0/10
电机功率: 15/22 kw/hp
转速: 900 r/min
排气量: 3.0 m³/min
工作压力: 1.0 mpa
储气罐: 0.42 m³
包装尺寸: 1000×1000×1200mm
总重量: 180 kg

All machines characteristics and structures are subject to change without notice.