



● **Full auto blow moulding machine**

**1. KBB series blowing machine**

( to blow the perform to bottle, it include at least 4 steps as the perform fed in, the perform heat, the blowing, the bottle outlet)





## 2. mould



## 3. air compressor-high pressure ( to produce the high pressure air to blow the perform in the mould)



### **3. Compressor groupware**

**( to deal the pressured air clean, dry etc, it is necessary for guarantee the blow quality)**



空气净化组合机



型号	TCJH(Z)-3.0/30	TCJH(Z)-4.0/30	TCJH(Z)-5.0/30
处理量	3.0m <sup>3</sup> /min	3.0m <sup>3</sup> /min	4.0m <sup>3</sup> /min
工作压力	3.0Mpa	4.0Mpa	3.0Mpa
压缩机功率	1HP	1.5HP	0.7HP
储气罐容积	0.6 m <sup>3</sup>	0.6m <sup>3</sup>	0.6m <sup>3</sup>
外形尺寸 cm	165×150×200	170×155×200	160×150×200
重量 kg	1200	1250	1200
成品气品质	常压露点-23°C 固体<0.01um		

配置清单: 标准冷干机 1台, 后置冷却器 1台, 精密过滤器 1只, 电子排水器 1只

**4. air compressor-low pressure**

( to produce the lower pressure air to run the relevant parts in the blowing machine, for its operation)

